

26. (Amended) A method for performing ophthalmic surgery according to claim 24, wherein:

[said laser beam provides an energy level of no greater than 20 mJ per pulse to said corneal tissue] said substantially overlapping pattern is achieved using randomized scanning of said pulsed laser beam on said corneal tissue.

27. (Amended) A method for performing ophthalmic surgery according to claim 24, wherein:

said pulsed laser beam [provides an energy level of no greater than 50 mJ per pulse to said corneal tissue] has an ultraviolet wavelength.

28. (Amended) A method for performing ophthalmic surgery according to claim 24, wherein:

said pulsed laser beam has a spot size on said corneal tissue of no greater than 1 mm.

29. (Amended) A method for performing ophthalmic surgery according to claim 25, wherein:

said pulsed laser beam has a spot size on said corneal tissue of no greater than 1 mm.

30. (Amended) A method for performing ophthalmic surgery according to claim 26, wherein:

said pulsed laser beam has a spot size on said corneal tissue of no greater than 1 mm.

31. (Amended) The method for performing ophthalmic surgery according to claim 27, wherein:

said [laser beam has a spot size on said corneal tissue of no greater than 1 mm] ultraviolet wavelength is in a range of 193 to 220 nm.

32. (Amended) The method for performing ophthalmic surgery according to claim 24, wherein:

successive pulses of said pulsed laser beam are overlapped at least 50 percent.

AI
cont.
008060-1443-0000

42. (Amended) The method for performing ophthalmic surgery according to claim 39, wherein:
said pulsed laser beam is pulsed at a repetition rate of at least 20 Hz.

43. (Amended) The method for performing ophthalmic surgery according to claim 39, wherein:
said pulsed laser beam is pulsed at a repetition rate of at least 50 Hz.

44. (Amended) The method for performing ophthalmic surgery according to claim 39, wherein:
said pulsed laser beam is scanned synchronously with said pulses of said pulsed laser beam.

45. (Amended) The method for performing ophthalmic surgery according to claim 39, wherein:
an area of corneal tissue 0.05 to 0.5 microns deep is removed with each pulse of said pulsed laser beam.

48. (Amended) A method of performing laser ablation on tissue, said method comprising:
providing a laser having a pulsed output beam of ultraviolet wavelength and an output energy level of no greater than 10mJ per pulse from an output coupler of said laser;
providing a galvanometer scanner; and
controlling said pulsed output beam with said galvanometer scanner to provide a substantially overlapping [random] pattern of beam pulses on said tissue.

49. (Amended) The method of performing laser ablation on tissue according to claim 48, wherein:
[said pulsed output beam has an energy level of no greater than 10 mJ per pulse] an orientation of said substantially overlapping pattern is achieved using randomized scanning of said pulsed output beam on said tissue.

50. (Amended) The method of performing laser ablation on tissue according to claim 48, wherein:
said pulsed output beam has [an energy level of no greater than 20 mJ per pulse] a pulse repetition rate of at least 20 Hz.

A4 56. (Amended) The method of performing laser ablation on tissue according to claim 48, wherein:
said pulsed output beam [has an energy level of no greater than 50 mJ per pulse] is pulsed at a repetition rate of at least 50 Hz.

59. (Amended) The method of performing laser ablation on tissue according to claim [56] 50, wherein:
said pulsed output beam has a spot size on said tissue of no greater than 1mm.

A5 61. (Amended) The method of performing laser ablation on tissue according to claim [48] 49, wherein:
said pulsed output beam [is pulsed at] has a repetition rate of at least 20 Hz.

62. (Amended) The method of performing laser ablation on tissue according to claim [48] 57, wherein:
said pulsed output beam [is pulsed at] has a repetition rate of at least [50] 20 Hz.

A6 69. (Amended) An [Apparatus] apparatus for ablating tissue, comprising:
a laser adapted to emit a pulsed output beam [of] having an ultraviolet wavelength and [at] a repetition rate of at least [20] 50 Hz; and
a scanner constructed and arranged to control said pulsed output beam into a substantially overlapping [random] pattern of beam pulses on said tissue.

70. (Amended) The apparatus for ablating tissue according to claim 69, wherein:
said [repetition rate is at least 50 Hz] substantially overlapping pattern of beam pulses has an orientation which is achieved using a randomized scanning of said pulsed output beam on said tissue.

76. (Amended) An ophthalmic surgery apparatus for performing corneal refractive surgery by reshaping a portion of a corneal surface, said apparatus comprising:

A7 a laser adapted to emit a pulsed laser beam having an energy level of less than [20] 10 mJ per pulse from an output coupler of said laser [onto said corneal surface]; and

a computer-controlled scanning device coupled to said laser to cause overlap of pulses of said pulsed laser beam on said corneal surface to achieve a smooth ablation of corneal tissue.

77. An ophthalmic surgery apparatus for performing corneal refractive surgery by reshaping a portion of a corneal surface according to claim 76, wherein:

said [smooth ablation results in a surface roughness of less than about 1 micron] pulsed laser beam has a repetition rate of at least 20 Hz .

78. (Amended) A method of performing corneal refractive surgery by reshaping a portion of a corneal surface, said method comprising:

substantially overlapping a plurality of ultraviolet laser beam pulses over an area of a corneal surface sufficient to ablate a depth of between 0.05 and 0.5 microns of corneal tissue per ultraviolet laser beam pulse;

said laser beam pulses having an energy level of no greater than [20] 10 mJ per pulse from an output coupler of said laser; and

said laser beam pulses having a pulse repetition rate of at least 50 pulses per second.

79. (Amended) The method of performing corneal refractive surgery by reshaping a portion of a corneal surface according to claim 78, wherein:

said laser beam pulses have [an energy level of no greater than 10 mJ per pulse] a wavelength in a range of 193 to 215 nm.

82. (Amended) An ophthalmic surgery apparatus, comprising:

A8 a laser adapted to emit a pulsed beam of less than about [20] 10 mJ per pulse at an output coupler of said laser; and

a computer-controlled scanning device coupled to said laser such that pulses of said beam are substantially overlapped to achieve a smooth ablation of corneal tissue.

84. (Amended) The ophthalmic surgery apparatus according to claim 82, wherein:

said laser is adapted to emit a pulsed beam [of no greater than 10 mJ per pulse] having an ultraviolet wavelength.

86. (Amended) The ophthalmic surgery apparatus according to claim 82, wherein:

said laser [has] is adapted to emit a pulsed beam having a repetition rate [in a range] of at least 20 [50 and 50,000] Hz.

90. (Amended) A method for performing corneal refractive surgery by reshaping a portion of a corneal surface, comprising:

selecting a laser having a pulsed output beam of ultraviolet wavelength and having an energy level less than 10 mJ/pulse from an output coupler of said laser;

selecting a scanning mechanism for scanning said laser output beam[, said scanning mechanism including a galvanometer scanning mechanism for controlling said laser beam into an overlapping pattern of adjacent pulses];

coupling said laser beam to said scanning mechanism for scanning said laser beam over a predetermined surface;

focusing said scanning laser beam onto [a] said corneal surface;

controlling said scanning mechanism to deliver the scanning laser beam in an overlapping pattern onto a plurality of positions on [the] said corneal surface to photoablate or photocoagulate corneal tissue; and

removing from 0.05 to 0.5 microns of corneal tissue per pulse overlapped to remove tissue to a desired depth, whereby a patient's vision is corrected by [the] said reshaping of [the] said portion of said corneal surface of [the] said patient's eye using a low power laser.

91. (Amended) A method for performing ophthalmic surgery, comprising:

pulsing an ultraviolet laser beam having an output energy level of no greater than 10 mJ/pulse from an output coupler of said laser;

applying said pulsing ultraviolet laser beam onto corneal tissue; and scanning said pulsing laser beam in a purposefully substantial overlapping pattern on said corneal tissue.

92. (Amended) The method for performing ophthalmic surgery according to claim 91, wherein:

said pulsing ultraviolet laser beam [is pulsed at a repetition rate of at least 20 Hz] has a wavelength in a range of 193 to 215 nm.

000000 "T444444" 000000